

MALACAÑANG

RESIDENCE OF THE PRESIDENT
OF THE PHILIPPINES
MANILA

BY THE PRESIDENT OF THE PHILIPPINES

PROCLAMATION No. 245

ESTABLISHING AS SOUTHERN ZAMBALES FOREST RESERVE FOR WATERSHED AND SOIL PROTECTION, TIMBER PRODUCTION, AND OTHER FOREST PURPOSES, CERTAIN PARCELS OF THE PUBLIC DOMAIN, SITUATED IN THE MUNICIPALITIES OF CABANGAN, SAN FELIPE, SAN NARCISO, SAN MARCELINO, CASTILLEJOS, AND SUBIC, PROVINCE OF ZAMBALES, ISLAND OF LUZON

Upon the recommendation of the Director of Forestry, approved by the Secretary of Agriculture and Natural Resources, and pursuant to the provisions of section eight-hundred and twenty-six of Act Numbered Twenty-seven hundred and eleven, known as the Revised Administrative Code, I, Ramon Magsaysay, President of the Philippines, do hereby withdraw from sale or entry and establish and proclaim, subject to private rights, if any there be, the Southern Zambales Forest Reserve for watershed and soil protection, timber production, and other forest purposes, under the administration and control of the Bureau of Forestry, the following parcels of public domain, situated in the municipalities of Cabangan, San Felipe,

San Narciso, San Marcelino, Castillejos, and Subic, province of Zambales island of Luzon, described on the Bureau of Forestry Map No. FR-122, to wit:

Parcel 1

Beginning at a point marked 1 on Map FR-122 a point that is identical to monument No. 11 of the U. S. Naval Reservation being D. E. about 4,200 meters from B.L.L.M. No. 1, Subic, Zambales; thence following land classification lines 140-138 of alienable and disposable block I, Zambales Project No. 13, about 700 meters to corner 2, an anonang tree 40 centimeters in diameter; thence N. 32° W., about 280 meters to corner 3, an apitong tree 80 centimeters in diameter; thence following land classification lines 137-135 of alienable and disposable block I, Zambales Project No. 13, about 699 meters to corner 4, an apitong tree 90 centimeters in diameter; thence N. 5° W., about 210 meters to corner 5, a paho tree 35 centimeters in diameter; thence S. 61° W., about 332 meters to corner 6, a makaasim tree, 40 centimeters in diameter; thence S. 17° W., about 192 meters to corner 7, a meleuse tree 30 centimeters in diameter; thence following land classification lines 132-129 of alienable and disposable block I, Zambales Project No. 13, about 892 meters to corner 8, an apitong tree 90 centimeters in diameter; thence S. 21° W., about 297 meters to corner 9, a putat tree 30 centimeters in diameter; thence following land classification lines 128-126 of alienable and disposable block I, Zambales Project No. 13, about 927 meters to corner 10, a pao tree 80 centimeters in diameter; thence following land classification lines 126-120 of alienable and disposable block I, Zambales Project No. 13, about 1,994 meters to corner 11, an amugis tree 30 centimeters in diameter; thence following land classification lines 120-117 of alienable and disposable block I, Zambales Project No. 13, about 1,172 meters to corner 12, a pao tree 65 centimeters in diameter; thence following land classification lines 117-115 of alienable and disposable block I, Zambales Project No. 13, about 1,067 meters to corner 13, an apitong tree 40 centimeters in diameter; thence following land classification lines 115-113 of alienable and disposable block I, Zambales Project No. 13, about 577 meters to corner 14, an apitong tree 50 centimeters in diameter; thence S. 31° W., about 297 meters to corner 15, a pao tree 90 centimeters in diameter; thence following land classification lines 112-110 of alienable and disposable block I, Zambales Project No. 13, about 665 meters to corner 16, an bugen is species tree 45 centimeters in diameter; thence S. 71° W., about 350 meters to corner 17, an eugenia species tree 40 centimeters in diameter; thence N. 2° W., about 263 meters to corner 18, a pili tree 50 centimeters in diameter; thence N. 56° W., about 315 meters to corner 19, a narra tree 30 centimeters in diameter; thence following land classification lines 107-105 of alienable and disposable block I, Zambales Project No. 13, about 763 meters to corner 20, an unknown species tree 60 centimeters in diameter; thence following land classification lines 105-103 of alienable and disposable block I, Zambales Project No. 13, about 638 meters to corner 21, a kupang tree 60 centimeters in diameter; thence following land classification lines 103-100 of alienable and disposable block I, Zambales Project No. 13, about 812 meters to corner 22, a white lauan tree 90 centimeters in diameter; thence S. 72° E. about 378 meters to corner 23, a Bureau of Lands concrete monument; thence N. 30° E., about 315 meters to corner 24, a Bureau of Lands concrete monument; thence following land classification lines 98-96 of alienable and disposable block I, Zambales Project No. 13, about 822 meters to corner 25, an apitong tree 80 centimeters in diameter.

meters in diameter; thence N. 35° E. about 437 meters to corner 26, an apitong tree 80 centimeters in diameter; thence N. 76° E., about 437 meters to corner 27, a lauan tree 40 centimeters in diameter; thence N. 44° E., about 210 meters to corner 28, a malacacao tree 50 centimeters in diameter; thence N. 59° W., about 280 meters to corner 29, a pao tree 60 centimeters in diameter; thence following land classification lines 92-90 of alienable and disposable block I, Zambales Project No. 13, about 700 meters to corner 30, a bolongeta tree 40 centimeters in diameter; thence S. 69° W., about 420 meters to corner 31, a white lauan tree 80 centimeters in diameter; thence N. 62° W., about 315 meters to corner 32, a palosapis tree 90 centimeters in diameter; thence S. 79° W., about 525 meters to corner 33, a Bureau of Lands concrete monument; thence N. 42° W., about 595 meters to corner 34, a banaybanay tree 60 centimeters in diameter; thence N. 63° E., about 332 meters to corner 35, a banaba tree 60 centimeters in diameter; thence N. 23° W., about 350 meters to corner 36, a duguan tree 30 centimeters in diameter; thence S. 55° W., about 280 meters to corner 37, a guijo tree 70 centimeters in diameter; thence N. 83° W., about 525 meters to corner 38, an anonang tree 30 centimeters in diameter; thence N. 23° E., about 560 meters to corner 39, a balakat tree 40 centimeters in diameter; thence N. 61° E., about 840 meters to corner 40, a binayuyo tree 35 centimeters in diameter; thence following land classification lines 52-50 of the alienable and disposable area of Zambales Project No. 7, about 1,047 meters to corner 41, a tuai tree 90 centimeters in diameter; thence following land classification lines 50-54 of the alienable and disposable area of Zambales Project No. 7, about 3,219 meters to corner 42, a lauan tree 70 centimeters in diameter; thence following land classification lines 44-41 of the alienable and disposable area of Zambales Project No. 7, about 1,592 meters to corner 43, a Balakat-gubat tree 40 centimeters in diameter; thence following land classification lines 41-39 of the alienable and disposable area of Zambales Project No. 7, about 1,032 meters to corner 44, a bangkal tree 30 centimeters in diameter; thence following land classification lines 39-37 of the alienable and disposable area of Zambales Project No. 7, about 1,015 meters to corner 45, an apitong tree 80 centimeters in diameter; thence following land classification lines 37-35 of the alienable and disposable area of Zambales Project No. 7, about 979 meters to corner 46, an aclengparang tree 30 centimeters in diameter; thence following land classification lines 35-32 of the alienable and disposable area of Zambales Project No. 7, about 1,505 meters to corner 47, a point; thence following land classification lines 162-160 of alienable and disposable block I, Zambales Project No. 11, about 665 meters to corner 48, an eugenia sp. tree 35 centimeters in diameter; thence E. 3° W., about 647 meters to corner 49, a kupang tree 40 centimeters in diameter; thence following land classification lines 159-157 of alienable and disposable block I, Zambales Project No. 11, about 1,172 meters to corner 50, a polongeta tree 40 centimeters in diameter; thence following land classification lines 157-154 of alienable and disposable block I, Zambales Project No. 11, about 1,259 meters to corner 51, a kupang tree 100 centimeters in diameter; thence, N. 83° S., about 525 meters to corner 52, a palosapis tree 80 centimeters in diameter; thence S. 62° E., about 472 meters to corner 53, a tuai tree 40 centimeters in diameter; thence following land classification lines 152-150 of alienable and disposable block I, Zambales Project No. 11, about 834 meters to corner 54, a banaba tree 25 centimeters in diameter; thence following land classification lines 150-147 of alienable and disposable block I, Zambales Project No. 11, about 699 meters to corner 55, a talisay

gubat tree 50 centimeters in diameter; thence following land classification lines 147-145 of alienable and disposable block I, Zambales Project No. 11, about 716 meters to corner 56, a Luisa tree 60 centimeters in diameter; thence S. 54° E., about 378 meters to corner 57, a concrete monument; thence S. 19° W., about 542 meters to corner 58, a panetulin tree 45 centimeters in diameter; thence N. 87° E., about 245 meters to corner 59, a Binayuyo tree 25 centimeters in diameter; thence following land classification lines 142-137 of alienable and disposable block I, Zambales Project No. 11, about 2,179 meters to corner 60, a duguan tree 40 centimeters in diameter; thence following land classification lines 137-135 of alienable and disposable block I, Zambales Project No. 11, about 420 meters to corner 61, a Pao tree 60 centimeters in diameter; thence following land classification lines 135-133 of alienable and disposable block I, Zambales Project No. 11, about 472 meters to corner 62, a palosapis tree 85 centimeters in diameter; thence S. 25° E., about 280 meters to corner 63, a point SW. corner of the land of Aniceto Beltran; thence following land classification lines 132-130 of alienable and disposable block I, Zambales Project No. 11, about 653 meters to corner 64, a pao tree 50 centimeters in diameter; thence following land classification lines 130-127 of alienable and disposable block I, Zambales Project No. 11, about 775 meters to corner 65, an aritongtong tree 60 centimeters in diameter; thence N. 42° E., about 525 meters to corner 66, a banaba tree 60 centimeters in diameter; thence following land classification lines 126-124 of alienable and disposable block I, Zambales Project No. 11, about 713 meters to corner 67, a banaba tree 60 centimeters in diameter; thence S. 3° E., about 373 meters to corner 68, a banaba tree 60 centimeters in diameter; thence following land classification lines 123-120 of alienable and disposable block I, Zambales Project No. 11, about 830 meters to corner 69, an eugenia sp. tree 25 centimeters in diameter; thence N. about 280 meters to corner 70, a tuai tree 40 centimeters in diameter; thence N. 60° W., about 332 meters to corner 71, a duguan tree 40 centimeters in diameter; thence following land classification lines 118-116 of alienable and disposable block I, Zambales Project No. 11, about 507 meters to corner 72, a panatulin tree 50 centimeters in diameter; thence following land classification lines 116-114 of alienable and disposable block I, Zambales Project No. 11, about 935 meters to corner 73, a malasapsap 40 centimeters in diameter; thence N. 34° E., about 87 meters to corner 74, a pao tree 70 centimeters in diameter; thence following land classification lines 114-111 of alienable and disposable block I, Zambales Project No. 11, about 734 meters to corner 75, a kitupling tree 30 centimeters in diameter; thence following land classification lines 111-107 of alienable and disposable block I, Zambales Project No. 11, about 1,370 meters to corner 76, a tibig tree 30 centimeters in diameter; thence N. 59° W., about 315 meters to corner 77, a banaba tree 70 centimeters in diameter; thence N. 41° E., about 377 meters to corner 78, a dayday tree 60 centimeters in diameter; thence N. 84° W., about 192 meters to corner 79, an apitong tree 50 centimeters in diameter; thence N. 17° W., about 542 meters to corner 80, an eugenia sp. tree 35 centimeters in diameter; thence N. 82° W., about 577 meters to corner 81, a banaba tree 50 centimeters in diameter; thence following land classification lines 102 to 100 of alienable and disposable block I, Zambales Project No. 11, about 977 meters to corner 82, a Dao tree 100 centimeters in diameter; thence following land classification lines 100-97 of alienable and disposable block I, Zambales Project No. 11, about 1,015 meters to corner 83, corner 5 of Psu-26067; thence N. 27° E., about 420 meters to corner 84, corner 2 of Psu-26067; thence

following land classification lines 96-94 of alienable and disposable block I, Zambales Project No. 11, about 1,049 meters to corner 85, corner 73 of Psu-26067; thence N. 40° E., about 280 meters to corner 86, corner 72 of Psu-26067; thence following land classification lines 93-91 of alienable and disposable block I, Zambales Project No. 11, about 1,250 meters to corner 87, corner 70 of Psu-26067; thence following land classification lines 91-89 of alienable and disposable block I, Zambales Project No. 11, about 939 meters to corner 88, corner 68 of Psu-26067; thence N. 29° W., about 892 meters to corner 89, a concrete monument; thence following land classification lines 88-85 of alienable and disposable block I, Zambales Project No. 11, about 1,119 meters to corner 90, a white lauan tree 30 centimeters in diameter; thence following land classification lines 85-83 of alienable and disposable block I, Zambales Project No. 11 about 533 meters to corner 91, a white lauan tree 70 centimeters in diameter; thence N. 56° W., about 1,698 meters to corner 92, corner 53 of Psu-36067; thence following Anti River upstream about 2,100 meters to corner 93 at the junction of a creek and Anti River; thence following Anti River upstream about 3,675 meters to corner 94, a palomeria tree 30 centimeters in diameter; thence N. 66° W., about 280 meters to corner 95, a binayuyo tree 20 centimeters in diameter; thence N. 9° W., about 350 meters to corner 96, a banaba tree 40 centimeters in diameter; thence N. 55° W., about 420 meters to corner 97, an acleng parang tree 30 centimeters in diameter; thence N. 2° W., about 350 meters to corner 98, an agoho tree 40 centimeters in diameter; thence N. 68° W., about 350 meters to corner 99, an antipolo tree 35 centimeters in diameter; thence S. 72° W., about 367 meters to corner 100, an analingo tree 40 centimeters in diameter; thence following Dacong creek downstream about 4,095 meters to corner 101 at the junction of creeks; thence following lombay Creek upstream about 1,400 meters to corner 102; an ilangilang tree 40 centimeters in diameter; thence S. 69° N., about 220 meters to corner 103, paho tree 30 centimeters in diameter; thence S. 33° E., about 255 meters to corner 104, an akle tree 30 centimeters in diameter; thence following land classification lines 70-67 of alienable and disposable block I, Zambales Project No. 11, about 700 meters to corner 105, a ficus sp. tree 30 centimeters in diameter; thence S. 73° W., about 245 meters to corner 106, a banaba tree 35 centimeters in diameter; thence N. 55° W., about 245 meters to corner 107, a white lauan tree 45 centimeters in diameter; thence 225° W., about 280 meters to corner 108, a kupang tree 60 centimeters in diameter; thence following land classification lines 64-62 of alienable and disposable block I, Zambales Project No. 11, about 533 meters to corner 109, a tindalo tree 50 centimeters in diameter; thence following Caroscos Creek, downstream, about 2,677 meters to corner 110, a point; thence N. 36° W., about 568 meters to corner 111, a white lauan tree 50 centimeters in diameter; thence S. 76° W., about 647 meters to corner 112, a kupang tree 70 centimeters in diameter; thence following land classification lines 59-56 of alienable and disposable block I, Zambales Project No. 11, about 680 meters to corner 113, a batobato tree 30 centimeters in diameter; thence following land classification lines 56-52 of alienable and disposable block I, Zambales Project No. 11, about 1,215 meters to corner 114, a binayuyo tree 35 centimeters in diameter; thence following land classification lines 52-49 of alienable and disposable block I, Zambales Project No. 11, about 622 meters to corner 115, a ficus sp. tree 60 centimeters in diameter; thence S. 35° W., about 288 meters to corner 116, a paho tree 60 centimeters in diameter; thence following land classification lines 48-46 of alienable and disposable block I, Zambales Project No. 11, about 665 meters to

corner 117, a balinghasai tree 30 centimeters in diameter; thence following land classification lines 46-44 of alienable and disposable block I, Zambales Project No. 11, about 550 meters to corner 118, a binayuyo tree 30 centimeters in diameter; thence following land classification lines 44-42 of alienable and disposable block I, Zambales Project No. 11, about 1,188 meters to corner 119, a binayuyo tree 25 centimeters in diameter; thence N. 75° W., about 210 meters to corner 120, a binayuyo tree 30 centimeters in diameter; thence following land classification lines 41-38 of alienable and disposable block I, Zambales Project No. 11, about 1,145 meters to corner 121, a binayuyo tree 25 centimeters in diameter; thence following land classification lines 38-31 of alienable and disposable block I, Zambales Project No. 11, about 2,025 meters to corner 122, a pagsahingin tree 30 centimeters in diameter; thence following land classification lines 31-29 of alienable and disposable block I, Zambales Project No. 11, about 560 meters to corner 123, a balinghasai tree 30 centimeters in diameter; thence S. 22° E., about 350 meters to corner 124, a balinghasai tree 30 centimeters in diameter; thence S. 27° W., about 420 meters to corner 125, a balinghasai tree 35 centimeters in diameter; thence following land classification lines 27-25 of alienable and disposable block I, Zambales Project No. 11, about 641 meters to corner 126, a balinghasai tree 30 centimeters in diameter; thence S. 42° W., about 280 meters to corner 127, a balinghasai tree 15 centimeters in diameter; thence N. 79° W., about 315 meters to corner 128, a balinghasai tree 30 centimeters in diameter; thence DS, about 200 meters to corner 129, a balinghasai tree 35 centimeters in diameter; thence N. 87° W., about 245 meters to corner 130, a balete tree 60 centimeters in diameter; thence following land classification lines 21-14 of alienable and disposable block I, Zambales Project No. 11, about 2,280 meters to corner 131, a molave tree 35 centimeters in diameter; thence following land classification lines 14-12 of alienable and disposable block I, Zambales Project No. 11, about 542 meters to corner 132, a balinghasai tree 30 centimeters in diameter; thence following land classification lines 12-10 of alienable and disposable block I, Zambales Project No. 11, about 480 meters to corner 133, a balinghasai tree 25 centimeters in diameter; thence N. 28° W., about 515 meters to corner 134, a balinghasai tree 35 centimeters in diameter; thence following land classification lines 9-7 of alienable and disposable block I, Zambales Project No. 11, about 670 meters to corner 135, an agoho tree 25 centimeters in diameter; thence S. 68° W., about 410 meters to corner 136, a concrete monument marked M.B.M. No. 18, thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 560 meters to corner 137, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 700 meters to corner 138, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 550 meters to corner 139, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 650 meters to corner 140, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 700 meters to corner 141, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 1 of lot 10274 to corner 3 of lot 10293, about 300 meters to corner 142, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 3 of lot 10293 to corner 5 of lot 10312, about 456 meters to corner 143, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 5 of lot 10312 to corner 2 of lot 10437, about 350 meters to corner 144,

a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 2 of lot 10437 to corner 4 of lot 10425, about 340 meters to corner 145, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 4 of lot 10425 to corner 10 of lot 10478, about 360 meters to corner 146, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 10 of lot 10478 to corner 2 of lot 10479, about 420 meters to corner 147, a B.L. concrete monument; thence following the boundary line of San Narciso cadastre; B.L. Case No. 8, from corner 2 of lot 10479 to corner 3 of lot 10495, about 300 meters to corner 148, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre B.L. Case No. 8, from corner 3 of lot 10495 to corner 19 of lot 10498, about 550 meters to corner 149, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 19 of lot 10498 to corner 15 of lot 10498, about 800 meters to corner 150, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 15 of lot 10498 to corner 5 of lot 10519, about 250 meters to corner 151, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre B.L. Case No. 8, from corner 5 of lot 10519 to corner 1 of lot 10518, about 300 meters to corner 152, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 1 of lot 10518 to corner 6 of lot 10517, about 300 meters to corner 153, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 6 of lot 10517, to corner 2 of lot 10516, about 360 meters to corner 154, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 2 of lot 10516 to corner 8 of lot 10500, about 450 meters to corner 155, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 8 of lot 10500 to corner 5 of lot 10548, about 450 meters to corner 156, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, from corner 5 of lot 10548 to corner 4 of lot 10439, about 250 meters to corner 157, a B.L. concrete monument; thence following the boundary line of San Narciso Cadastre; B.L. Case No. 8, from corner 4 of lot 10439 to corner 5 of lot 10374, about 280 meters to corner 158, a B.L. concrete monument; thence following the boundary line of San Narciso, B.L. Case No. 8, about 160 meters to corner 159, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 100 meters to corner 160, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 300 meters to corner 161, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 800 meters to corner 162, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 340 meters to corner 163, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 1,460 meters to corner 164, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, 1,120 meters to corner 165, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 300 meters to corner 166, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 250 meters to corner 167, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 250 meters to corner 168, a point; thence following the boundary line of San Narciso Cadastre, B.L. Case No. 8, about 450 meters to corner 169,

a point; thence following the boundary line of San Narcisio Cadastre, B.L. Case No. 8, about 600 meters to corner 170, a point; thence following the boundary line of San Narcisio Cadastre, B.L. Case No. 8, about 350 meters to corner 171, a point; thence following the boundary line of San Narcisio Cadastre, B.L. Case No. 8, about 300 meters to corner 172, a point; thence following the boundary line of San Narcisio Cadastre, B.L. Case No. 8, about 500 meters to corner 173, a concrete monument marked M.B.M. No. 16; thence following Santo Tomas River downstream about 805 meters to corner 174, a balinghasai tree 25 centimeters in diameter; thence following land classification lines 89-86 of the alienable and disposable land of Zambales Project No. 10, about 986 meters to corner 175, a balinghasai tree 15 centimeters in diameter; thence following land classification lines 86-84 of the alienable and disposable land of Zambales Project No. 10, about 654 meters to corner 176, a bamboo clump; thence N. 79° W., about 88 meters to corner 177, a molave tree 20 centimeters in diameter; thence S. 46° W., about 297 meters to corner 178, a bamboo clump; thence following land classification lines 82-79, of the alienable and disposable land of Zambales Project No. 10, about 584 meters to corner 179, a molave tree 30 centimeters in diameter; thence N. 84° W., about 361 meters to corner 180, a molave tree 30 centimeters in diameter; thence S. 7° W., about 305 meters to corner 181, a projecting rock 50 centimeters in diameter; thence N. 38° W., about 392 meters to corner 182, a dapdap tree 40 centimeters in diameter; thence following land classification lines 76-74 of the alienable and disposable land of Zambales Project No. 10, about 657 meters to corner 183, a balinghasai tree 15 centimeters in diameter; thence S. 81° W., about 252 meters to corner 184, a binayuyo tree 30 centimeters in diameter; thence following land classification lines 73-71 of the alienable and disposable land of Zambales Project No. 10, about 514 meters to corner 185, a sapindus sp. tree 30 centimeters in diameter; thence N. 49° W., about 175 meters to corner 186, a hanaba tree 25 centimeters in diameter; thence following land classification lines 70-66 of the alienable and disposable land of Zambales Project No. 10, about 1,092 meters to corner 187, a balinghasai tree 30 centimeters in diameter; thence N. 11° S. about 455 meters to corner 188, a sapindus sp. tree 60 centimeters in diameter; thence following land classification lines 65-56 of the alienable and disposable land of Zambales Project No. 10, about 2,496 meters to corner 189, a kupang tree 45 centimeters in diameter; thence following land classification line 56-52 of the alienable and disposable land of Zambales Project No. 10, about 1,050 meters to corner 190, a luisin tree 50 centimeters in diameter; thence N. 37° W., about 770 meters to corner 191, corner 45 of lot No. 1, Psu-19330; thence N. 40° E., about 883 meters to corner 192, corner 44 of lot No. 1, Psu-19330; thence S. 65° W., about 2,645 meters to corner 193, corner 43 of lot No. 1, Psu-19330; thence S. 45° W., about 772 meters to corner 194, corner 8 of G.L.R.O. No. 20120; thence DE, about 1,128 meters to corner 195, corner 7 of G.L.R.O. No. 20120; thence S. 5° E., about 953 meters to corner 196, corner 6 of G.L.R.O. No. 20120; thence S. 35° E., about 1,557 meters to corner 197, corner 5 of G.L.R.O. No. 20120; thence N. 32° E., about 1,190 meters to corner 198, corner 4 of G.L.R.O. No. 20120; thence N. 48° W., about 1,338 meters to corner 199, corner 3 of G.L.R.O. No. 20120; thence N. 16° W., about 822 meters to corner 200, corner 2 of G.L.R.O. No. 20120; thence N. 70° W., about 822 meters to corner 201, corner 1 of G.L.R.O. No. 20120; thence N. 25° E., about 735 meters to corner 202, corner 1 of G.L.R.O. No. 19427; thence following land classification line 40-38 of the alienable and disposable land of Zambales Project

No. 10, about 1,140 meters to corner 203, corner 18 of G.L.R.O. No. 19427; thence following land classification lines 38-34 of the alienable and disposable land of Zambales Project No. 10, about 1,494 meters to corner 204, corner 13 of G.L.R.O. No. 19427; thence S. 73° E., about 2,983 meters to corner 205, corner 1 of lot No. 9, Psu-19330; thence N. 78° E., about 875 meters to corner 206, corner 24 of lot No. 9, Psu-19330; thence N. 48° E., about 1,035 meters to corner 207, corner 23 of lot No. 9, Psu-19330; thence following land of classification lines 31-29 of the alienable and disposable land of Zambales Project No. 10, about 1,222 meters to corner 208, corner 21 of lot No. 9, Psu-19330; thence S. 30° E., about 358 meters to corner 209, corner 20 of lot No. 9, Psu-19330; thence following Anonang Creek upstream, about 1,137 meters to corner 210, corner 2 of lot No. 12, Psu-19330; thence S. 87° E., about 433 meters to corner 211, a concrete market B. M. No. 12; thence following Anonang River upstream about 385 meters to corner 212; corner 4 of lot No. 13, Psu-19330; thence S. 75° E., about 280 meters to corner 213, corner 3 of lot No. 13, Psu-19330; thence S. 27° E., about 752 meters to corner 214, corner 2 of lot No. 13, Psu-19330; thence following land classification lines 28-25 of alienable and disposable block II, Zambales Project No. 11, about 1,987 meters to corner 215, an apitong tree 70 centimeters in diameter; thence following land classification lines 25-20 of alienable and disposable block II, Zambales Project No. 11, about 1,785 meters to corner 216, a bangkal tree 80 centimeters in diameter; thence N. 60° E., about 483 meters to corner 217, a kalautit tree 60 centimeters in diameter; thence N. 85° E., about 315 meters to corner 218, a banaba tree 60 centimeters in diameter; thence S. 42° E., about 323 meters to corner 219, a kalai tree 35 centimeters in diameter; thence N. 28° E., about 323 meters to corner 220, a malasantol tree 50 centimeters in diameter; thence N. 20° W., about 262 meters to corner 221, a dita tree 35 centimeters in diameter; thence N. 42° E., about 472 meters to corner 222, a lamsi tree 70 centimeters in diameter; thence N. 29° W., about 402 meters to corner 223, a malasantol tree 40 centimeters in diameter; thence S. 57° W., about 402 meters to corner 224, an anonang tree 40 centimeters in diameter; thence following land classification lines 12-10 of alienable and disposable block II, Zambales Project No. 11, about 1,014 meters to corner 225, a banaba tree 70 centimeters in diameter; thence N. 50° W., about 332 meters to corner 226, a tangsang-bayawak tree 30 centimeters in diameter; thence following land classification line 9-7 of alienable and disposable block II, Zambales Project No. 11, about 892 meters to corner 227, a molave tree 40 centimeters in diameter; thence N. 5° W., about 735 meters to corner 228, corner 11 of lot No. 1, Psu-19330; thence N. 60° W., about 1,023 meters to corner 229, corner 10 of lot 1, Psu-19330; thence N. 29° W., about 892 meters to corner 230, corner 9 of lot No. 1, Psu-19330; thence following land classification lines 4-2 of alienable and disposable block I, Zambales Project No. 11, about 612 meters to corner 231, corner 7 of lot No. 1, Psu-19330; thence N. 77° E., about 17,550 meters to corner 232, a point; thence S. 13° E., about 3,300 meters to corner 233, a point; thence S. 43° W., about 4,450 meters to corner 234, a point; thence S. 41° E., about 5,800 meters to corner 235, a point; thence S. 73° E., about 4,800 meters to corner 236, a point; thence S. 40° W., about 2,500 meters to corner 237, a point; thence S. 40° W., about 825 meters to corner 238, a point; thence S. 34° W., about 1,350 meters to corner 239, a point; thence S. 34° W., about 1,950 meters to corner 240, a point; thence S. 35° W., about 3,250 meters to corner 241, a point; thence S. 45° E., about 3,675 meters to corner

242, a point; thence D^W, about 3,300 meters to corner 243, a point; thence S. 68° W., about 2,060 meters to corner 244, a point; thence S. 72° W., about 4,425 meters to corner 245, a point; thence S. 20° W., about 6,660 meters to corner 1, the point of beginning; containing an area of 36,926.5 hectares, more or less.

Parcel—II

Beginning at a point marked 1 on map F.R.—122 being N. 41° W., about 1.610 meters from the Quirino Dam; thence N. 41° E., about 332 meters to corner 2, a lanutan tree 70 centimeters in diameter; thence N. 74° E., about 292 meters to corner 3, a banaba tree 40 centimeters in diameter; thence S. 61° E., about 358 meters to corner 4, a kupang tree 45 centimeters in diameter; thence S. 27° E., about 315 meters to corner 5, a santol tree 45 centimeters in diameter; thence S. 3° W., about 455 meters to corner 6, an agoho tree 40 centimeters in diameter; thence S. 51° W., about 227 meters to corner 7, a banaba tree 30 centimeters in diameter; thence N. 69° W., about 305 meters to corner 8, a banaba tree 25 centimeters in diameter; thence N. 48° W., about 498 meters to corner 9, a kupang tree 40 centimeters in diameter; thence N. 21° W., about 298 meters to corner 1, the point of beginning; containing an area of 73.5 hectares, more or less.

IN WITNESS WHEREOF, I have hereunto set my hand and caused the seal of the Republic of the Philippines to be affixed.

Done in the City of Manila, this 18th day of January, in the year of Our Lord, nineteen hundred and fifty-six, and of the Independence of the Philippines, the tenth.

[SEAL]

RAMON MAGSAYSAY
President of the Philippines

By the President:

FORTUNATO DE LEON
Acting Executive Secretary